Amendments to the Claims

The listing of claims will replace all prior versions, and listings, of claims in the application:

Claims 1-18 (cancelled)

19. A method comprising:

a) administering an MRI agent having the formula:

Y₁ and Y₂ are independently amino acid moieties;

n and m are each independently an integer from 0 to 5

X₁ is an independent linker; and

salts thereof.

20. A method comprising:

a) administering an MRI agent having the formula::

wherein

1134903_1

M is a paramagnetic metal ion selected from the group consisting of Gd(III), Fe(III), Mn(II), Y(III), Cr(III), Eu(III), and Dy(III);

 X_1 and X_2 are each independent linkers;

MMP is a matrix metalloproteinase (MMP) active peptide;

p is an integer from 0 to 1; and

salts thereof;

- b) contacting said MRI agent under conditions wherein said MMP active peptide interacts with a MMP such that the T₁ of the said MRI agent is decreased; and,
- c) producing a magnetic resonance image of a cell, tissue, or patient.
- 21. A method according to claim 19, wherein said M is Gd(III).
- 22. A method according to claim 20, wherein said M is Gd(III).
- 23. A method according to claim 19, wherein X_1 is selected from the group consisting of an aryl or alkyl group.
- 24. A method according to claim 20, wherein X_1 is selected from the group consisting of an aryl or alkyl group.
- 25. A method according to claim 20, wherein X_2 is selected from the group consisting of an aryl group, an alkyl group, a carbohydrate group, a nucleic acid group, a lipid group, and combinations thereof.
- 26. A method according to claim 19, wherein X_1 is $-(CH_2CO)$ -, Y_1 is -Pro-Met- when n = 2, and Y_2 is -Trp-Met-Arg when m = 3.
- 27. A method according to claim 19, wherein X_1 is –(CH₂CO)-, Y_1 is -Met- when n = 1, and Y_2 is –Trp-Met-Arg when m = 3.
- 28. A method according to claim 19, wherein X_1 is –(CH₂CO)-, n = 0, and Y_2 is –Trp-Met-Arg when m = 3.
- 29. A method according to claim 20, wherein said MMP is MMP 7.
- 30. A method according to claim 20, wherein X_1 is –(CH₂CO)-, said MMP peptide comprises Leu-Met-Trp-Arg, and p = 0.